

Application No. 10/602,579

Docket No.2003U014.US


Reply to Office Action Dated March 02, 2005

### Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

#### Listing of Claims:

1. (Currently amended) A catalyst system comprising:  
one or more polymerization catalysts selected from the group consisting of metallocenes, ~~Group 15 containing compounds, phenoxide transition metal compositions, Group 5 or 6 metal imido complexes, bridged bis(arylamide) Group 4 compounds, derivatives thereof, and combinations thereof;~~ and  
an activator comprising one or more heterocyclic nitrogen-containing ligands coordinated to a Group 13 atom, wherein the activator is a reaction product of one or more alkyl substituted Group 13 atom-containing compounds and one or more heterocyclic nitrogen-containing compounds, the one or more heterocyclic nitrogen-containing ligands represented by:



wherein each substituent X2, X3, X4, X5, X6, and X7 is independently selected from the group consisting of hydrogen, chlorine, fluorine, iodine, and bromine.

2. (Original) The catalyst system of claim 1, wherein X4 is chlorine, fluorine, iodine, or bromine and X2, X3, X5, X6, and X7 are hydrogen.

Application No. 10/602,579  
Docket No.2003U014.US  
Reply to Office Action Dated March 02, 2005

3. (Original) The catalyst system of claim 1, wherein X5 is chlorine, fluorine, iodine, or bromine and X2, X3, X4, X6, and X7 are hydrogen.
4. (Original) The catalyst system of claim 1, wherein X6 is chlorine, fluorine, iodine, or bromine and X2, X3, X4, X5, and X7 are hydrogen.
5. (Original) The catalyst system of claim 1, wherein both X4 and X5 is chlorine, fluorine, iodine, or bromine and X2, X3, X6, and X7 are hydrogen.
6. (Original) The catalyst system of claim 1, wherein both X5 and X6 are chlorine, fluorine, iodine, or bromine, and X2, X3, X4 and X7 are hydrogen.
7. (Cancelled)
8. (Original) The catalyst system of claim 1, wherein the Group 13 atom is aluminum.
9. (Original) The catalyst system of claim 1, wherein the Group 13 atom is boron.
10. (Original) The catalyst system of claim 1, further comprising a support material.
11. (Original) The catalyst system of claim 1, further comprising a support material that comprises silica.
12. (Previously presented) The catalyst system of claim 1, further comprising a support material treated with an aluminoxane or an alkyl aluminum compound such that the support comprises aluminum alkyl groups bonded thereto.
13. (Currently amended) A catalyst system comprising:


Application No. 10/602,579

Docket No.2003U014.US

Reply to Office Action Dated March 02, 2005

one or more polymerization catalysts selected from the group consisting of metallocenes, ~~Group 15 containing compounds, phenoxide transition metal compositions, Group 5 or 6 metal imide complexes, bridged bis(arylamide) Group 4 compounds, derivatives thereof, and combinations thereof;~~ and

an activator comprising one or more heterocyclic nitrogen-containing ligands coordinated to an aluminum atom, wherein the activator is a reaction product of one or more alkyl substituted aluminum-containing compounds and one or more heterocyclic nitrogen-containing compounds, the one or more heterocyclic nitrogen-containing ligands represented by:



wherein each substituent X2, X3, X4, X5, X6, and X7 is independently selected from the group consisting of hydrogen, chlorine, fluorine, iodine, and bromine.

14. (Original) The catalyst system of claim 13, wherein each substituent X2, X3, X4 and X7 is hydrogen and X5 and X6 are independently selected from the group consisting of hydrogen, chlorine, fluorine, iodine, and bromine
15. (Previously presented) The catalyst system of claim 13, further comprising a support material treated with an aluminoxane or an alkyl aluminum compound such that the support comprises aluminum alkyl groups bonded thereto.
16. (Cancelled)
17. (Currently amended) A catalyst system comprising:

Application No. 10/602,579

Docket No.2003U014.US

Reply to Office Action Dated March 02, 2005

one or more polymerization catalysts selected from the group consisting of metallocenes, ~~Group 15-containing compounds, phenoxide transition metal compositions, Group 5 or 6 metal imido complexes, bridged bis(arylamido) Group 4 compounds, derivatives thereof, and combinations thereof,~~


at least one activator; and

a support material treated with an aluminoxane or an alkyl aluminum compound such that the support comprises aluminum alkyl groups bonded thereto;

wherein the activator is represented by one of the following formulas:

- (a)  $(R'_x M (JY)_y)_n$  or  
 (b)  $[(JY)_y R'_x]_n M-O-M [(R'_x (JY)_y)_n]_m$  or  
 (c)  $(OMR'_x (JY)_y)_n$

wherein M is aluminum, O is oxygen, and (JY) is a heterocyclic nitrogen-containing ligand represented by:



wherein each substituent X2, X3, X4, X5, X6, and X7 is independently selected from the group consisting of hydrogen, chlorine, fluorine, iodine, and bromine;

wherein n is 1 or 2 in formula (a); n is 2 in formula (b); and n is an number from 1 to 1,000 in formula (c);

wherein m is a number from 1 to 10;

wherein  $x + y$  = the valence of M in formula (a);  $x + y$  = the valence of M - 1 in formula (b); and  $x + y$  = valence of M - 2 in formula (c); and

wherein each R' is a substituent group bonded to M.

Application No. 10/602,579

Docket No.2003U014.US

Reply to Office Action Dated March 02, 2005

18. (Previously presented) The catalyst system of claim 17, wherein each R' is independently selected from the group consisting of methyl, ethyl, propyl, butyl, pentyl, hexyl, cyclopentyl, cyclohexyl, and isomers thereof.
19. (Previously presented) The catalyst system of claim 17, wherein each R' is bonded to the support material.
20. (Original) The catalyst system of claim 17, wherein each substituent X2, X3, X4 and X7 is hydrogen, and X5 and X6 are independently selected from the group consisting of hydrogen, chlorine, fluorine, iodine, and bromine
21. (Original) The catalyst system of claim 1, wherein the heterocyclic nitrogen-containing ligand is selected from the group consisting of 4-bromoindole, 4-chloroindole, 4-fluoroindole, 5-bromoindole, 5-chloroindole, 5-fluoroindole, 4,5,6,7-tetrafluoroindole, 2-methylindole, and 3-methylindole.
- 22-24 (Cancelled)